

Technical Data SheetTenite™ Butyrate 576E3720010 Clear, Trsp

Application/Uses

- Furniture/Furniture trim
- Recreational

Product Description

Tenite™ cellulosic plastics are noted for their excellent balance of properties - toughness, hardness, strength, surface gloss, clarity, and a warm feel. The mechanical properties of Tenite™ cellulosic plastics differ with plasticizer levels. Lower plasticizer content yields a harder surface, higher heat resistance, greater rigidity, higher tensile strength, and better dimensional stability. Higher plasticizer content increases impact strength. Color concentrates are available in let-down ratios from 10:1 to 40:1. Tenite™ Cellulose Acetate Butyrate 576-10 contains an odor mask and an ultra-violet inhibitor(UVI). It has a plasticizer level of 10%.

Typical Properties

Typical Properties					
Property ^a	Test ^b Method	Typical Value, Units ^c			
Plasticizer		10%			
Specific Gravity	D 792	1.19			
Mechanical Properties					
Tensile Stress @ Yield	D 638	33.1 MPa (4800 psi)			
Tensile Stress @ Break	D 638	43.4 MPa (6300 psi)			
Elongation @ Break	D 638	50%			
Flexural Modulus	D 790	1379 MPa (2.00 x 10 ⁵ psi)			
Flexural Yield Strength	D 790	45.5 MPa (6600 psi)			
Rockwell Hardness, R Scale	D 785	78			
Izod Impact Strength, Notched					
@ 23°C (73°F)	D 256	240 J/m (4.5 ft·lbf/in.)			
@ -40°C (-40°F)	D 256	96 J/m (1.8 ft·lbf/in.)			
Thermal Properties					
Deflection Temperature d					
@ 1.82 MPa (264 psi)	D 648	74°C (165°F)			
@ 0.455 MPa (66 psi)	D 648	85°C (185°F)			
Vicat Softening Temperature d	D 1525	104°C (219°F)			

Permanence Properties			
Water Absorption, 24 h immersion	D 570	1.4%	
Soluble Matter Loss	D 570	0.1%	
Weight Loss on Heating [72 hours @ 80°C (176°F)]	D 707	0.5%	

Miscellaneous Butyrate Properties		
Refractive Index, n _D	D 542	1.46-1.49
Light Transmission ^e	E 308	>90%
Haze ^e	D 1003	<8.5%
Specific Heat @ 23°C (73°F)	DSC	1.26-1.67 kJ/kg·K (0.301- 0.399 Btu/lb·°F)
Thermal Conductivity	C 177	0.17-0.33 W/m·K (1.2- 2.3 Btu·in./h·ft²·°F)
Coefficient of Linear Thermal Expansion	D 696	11-17 x 10 ⁻⁵ /°C (mm/mm·°C) (6-9 x 10 ⁻⁵ /°F (in./in.·°F))
Mold Shrinkage	D 955	0.2-0.6%
Dielectric Strength	D 149	11.8-18.7 kV/mm (300- 475 V/mil)
Dielectric Constant 1 MHz	D 150	3.3-3.8
Dissipation Factor 1 MHz	D 150	0.01-0.15
Volume Resistivity	D 257	10 ¹³ -10 ¹⁵ ohm∙cm

^a Unless noted otherwise, all tests are run at 23°C (73°F) and 50% relative humidity.

Characteristics

Formula 576 - odor mask; UVI; standard inventory. Available in 10% plasticizer only.

Comments

Properties reported here are typical of average lots. Eastman makes no representation that the material in any particular shipment will conform exactly to the values given.

Eastman and its marketing affiliates shall not be responsible for the use of this information, or of any product, method, or apparatus mentioned, and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and for the health and safety of your employees and purchasers of your products. No warranty is made of the merchantability of fitness of any product, and nothing herein waives any of the Seller's conditions of sale.

b Unless noted otherwise, the test method is ASTM.

^c Units are in SI or US customary units.

d Conditioned 4 hours @ 70°C (158°F)

e 1.52-mm (0.06-in.) thickness



SDSUS / EN / TUS01 Version: 3.0 Revision date: 08/28/2014 Initiator: 0001 / PRD

150000004000

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name: Tenite(TM) Butyrate 576E3720010 Clear Trsp

Product No.: EAN 090590. 576E3720010, 50000182, 50000184, 50008559, 50011351, 50057590,

E0188202

Synonyms, Trade Names: not applicable

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Plastics

Uses advised against: None known.

Details of the supplier of the safety data sheet

Manufacturer / Supplier

Eastman Chemical Company 200 South Wilcox Drive Kingsport, TN 37660-5280 US +14232292000

Visit our website at www.EASTMAN.com or email emnmsds@eastman.com

Emergency telephone number:

For emergency health, safety, and environmental information, call 1-423-229-4511 or 1-423-229-2000.

For emergency transportation information, in the United States: call CHEMTREC at 800-424-9300 or call 423-229-2000.

SECTION 2: Hazards identification

Hazard classification:

OSHA Specified Hazards:

Combustible dust If converted to small particles during further

processing, handling or by other means may form combustible dust concentrations in air.

Warning label items including precautionary statement:

Signal words: WARNING!

Hazard Statement(s): If converted to small particles during further processing, handling or by

other means may form combustible dust concentrations in air.

Precautionary statement:

Disposal: P501: Dispose of contents/container to an appropriate treatment and

disposal facility in accordance with applicable laws and regulations, and

product characteristics at time of disposal.



Initiator: 0001 / PRD 15000004000

Hazard(s) not otherwise classified (HNOC):

None known.

SECTION 3: Composition/information on ingredients

Substances / Mixtures

General information:

Chemical name	Concentration	Additional identification	Notes
cellulose acetate butyrate	>70%	CAS-No.: 9004-36-8	
bis(2-ethylhexyl) adipate	<30%	CAS-No.: 103-23-1	
additive(s)/colorant(s)	<5%	CAS-No.: proprietary	
resorcinol monobenzoate	<2%	CAS-No.: 136-36-7	

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

Description of first aid measures

Inhalation: Move to fresh air. Treat symptomatically. Get medical attention if symptoms

persist.

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses. Get medical attention if symptoms persist. If molten material contacts the eye, immediately flush with plenty of water for at least 15 minutes. Get medical attention

immediately.

Skin contact: Wash with soap and water. Get medical attention if symptoms occur. If

burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Get medical attention.

Ingestion: Seek medical advice.

Most important symptoms and

effects, both acute and

delayed:

Burns should be treated as thermal burns. The material will come off as healing occurs; therefore, immediate removal from the skin is not

necessary.

Indication of any immediate medical attention and special treatment needed

Hazards: Contact with molten substance/product may cause severe burns to skin and

eyes.

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards: Material can accumulate static charges which may cause an electrical

spark (ignition source). Use proper bonding and/or grounding procedures.

[#] This substance has w orkplace exposure limit(s).



Initiator: 0001 / PRD 15000004000

Extinguishing media

Suitable extinguishing

media:

Water spray. Dry chemical. Carbon Dioxide.

Unsuitable extinguishing

media:

None known.

Special hazards arising from

the substance or mixture:

None known.

Advice for firefighters

Special fire fighting

procedures:

None known.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

Personal precautions,

protective equipment and emergency procedures:

Wear appropriate personal protective equipment.

Environmental precautions: Not regarded as dangerous for the environment.

Methods and material for

containment and cleaning

up:

Sweep up and place in a clearly labeled container for chemical waste.

Notification Procedures: In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

SECTION 7: Handling and storage:

Precautions for safe handling: Avoid contact with molten material. Minimize dust generation and

accumulation.

Conditions for safe storage,

including any incompatibilities:

Keep container closed.

Specific end use(s): Plastics.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits

Country specific exposure limits have not been established or are not applicable

unless listed below.

Exposure controls



Initiator: 0001 / PRD 15000004000

Appropriate engineering

controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information: Eye bath. Washing facilities.

Eye/face protection: It is a good industrial hygiene practice to minimize eye contact. Wear a face

shield when working with molten material.

Skin protection

Hand protection: It is a good industrial hygiene practice to minimize skin contact. When

material is heated, wear gloves to protect against thermal burns.

Other: No data available.

Respiratory Protection: If engineering controls do not maintain airborne concentrations below

recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance

respirators are used, a program should be instituted to assure complianc with OSHA Standard 63 FR 1152, January 8, 1998. Respirator type: Airpurifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and

safety professional or manufacturer for specific information.

Hygiene measures: Observe good industrial hygiene practices.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical State: Solid Form: Pellet

Color: varies with product

Odor: slight

Odor Threshold:

pH:

No data available.

Not applicable

Softening Point: varies with formulation Boiling Point: No data available.

Flash Point: not applicable, combustible solid

Evaporation Rate:

Flammability (solid, gas):

Flammability Limit - Upper (%)—:

Flammability Limit - Lower (%)—:

Vapor pressure:

Not determined.

Not determined.



Initiator: 0001 / PRD 150000004000

Vapor density (air=1): No data available.

Specific Gravity: > 1

Solubility(ies)

Solubility in Water: Negligible

Solubility (other):

Partition coefficient (n-octanol/water):

Autoignition Temperature:

No data available.

No data available.

Decomposition Temperature: Thermal stability not tested. Low stability hazard

expected at normal operating temperatures.

Dynamic Viscosity:Not determined.Kinematic viscosity:Not determined.Explosive properties:No data available.Oxidizing properties:No data available.

SECTION 10: Stability and reactivity

Reactivity: None known.

Chemical stability: Stable

Possibility of hazardous

reactions:

None known.

Conditions to avoid: None at ambient temperatures.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition

products:

Carbon Monoxide. Carbon Dioxide.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation: None known.

Ingestion: None known.

Skin contact: Molten material will produce thermal burns.

Eye contact: Molten material will produce thermal burns.

Information on toxicological effects

Acute Toxicity

Oral

Product: No data available.

Specified substance(s)

cellulose acetate butyrate Oral LD-50: (Rat): > 3,200 mg/kg (highest dose tested)

bis (2-ethylhexyl) adipate Oral LD-50: (Rat, Male.): 45,000 mg/kg Oral LD-50: (Rat, Female.): 24,600 mg/kg

additive(s)/colorant(s)

No data available.

No data available.

resorcinol monobenzoate No data availa

©COPYRIGHT 2014 BY EASTMAN CHEMICAL COMPANY



Initiator: 0001 / PRD 15000004000

Dermal

Product: No data available.

Specified substance(s)

cellulose acetate butyrate Dermal LD-50: (Guinea Pig): > 1,000 mg/kg

(highest dose tested)

bis (2-ethylhexyl) adipate Dermal LD-50: (Rat): > 2,000 mg/kg

additive(s)/colorant(s)

resorcinol monobenzoate

No data available.

No data available.

Inhalation

Product: No data available.

Specified substance(s)

cellulos e acetate butyrate No data available.

bis(2-ethylhexyl) adipate LC50 (Rat, 4 h): > 5.7 mg/l (highest concentration tested)

additive(s)/colorant(s)

No data available.

resorcinol monobenzoate

No data available.

Repeated dose toxicity

Product: No data available.

Specified substance(s)

cellulos e acetate butyrate No data available.

bis(2-ethylhexyl) adipate NOAEL (Rat, Oral Study): 200 mg/kg

additive(s)/colorant(s)

resorcinol monobenzoate

No data available.

No data available.

Skin corrosion/irritation:

Product: No data available.

Specified substance(s)

cellulose acetate butyrate bis (2-ethylhexyl) adipate (Rabbit, 24 h): none additive(s)/colorant(s) No data available.

resorcinol monobenzoate (Guinea Pig, 24 h): moderate

Serious eye damage/eye

irritation:

Product: No data available.

Specified substance(s)

cellulose acetate butyrate
bis (2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
(Rabbit, 24 h): none
No data available.
No data available.

Respiratory or skin sensitization:

Product: Skin Sensitization:, (Human Repeat Insult Patch Test) - non-sensitizing



Initiator: 0001 / PRD 15000004000

Mutagenicity

In vitro

Product: No data available.

Specified substance(s)

cellulos e acetate butyrate No data available.

bis (2-ethylhexyl) adipate Salmonella typhimurium assay (Ames test), Bacterial Reverse Mutation Assay:

negative +/- activation

additive(s)/colorant(s)

resorcinol monobenzoate

No data available.

No data available.

In vivo

Product: No data available.

Specified substance(s)

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.

Carcinogenicity

Product: No data available.

Specified substance(s)

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.
No data available.

Specific target organ toxicity - single exposure Product: No data available.

Specified substance(s)

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.
No data available.

Specific target organ toxicity - repeated exposure Product: No data available.

Specified substance(s)

cellulose acetate butyrate bis(2-ethylhexyl) adipate additive(s)/colorant(s) No data available. No data available. No data available. resorcinol monobenzoate No data available.



Initiator: 0001 / PRD 15000004000

Aspiration hazard

Product: No data available.

Specified substance(s)

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.

Other adverse effects:

This material contains resorcinol monobenzoate which has been reported to be a contact sensitizer in studies with guinea pigs and humans. However, this material was tested in a human repeated insult patch test and showed no evidence of sensitization in any of the over two-hundred volunteers.

SECTION 12: Ecological information

Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

cellulos e acetate butyrate No data available.

bis(2-ethylhexyl) adipate NOEC: (golden orfe, 48 h): > 10,000 mg/l

additive(s)/colorant(s)

resorcinol monobenzoate

No data available.

No data available.

Aquatic invertebrates

Product: No data available.

Specified substance(s)

cellulos e acetate butyrate No data available.

bis(2-ethylhexyl) adipate EC-50 (Water Flea, 48 h): > 500 mg/l

additive(s)/colorant(s)

resorcinol monobenzoate

No data available.

No data available.

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.
No data available.

Aquatic invertebrates

Product: No data available.

Specified substance(s)

cellulos e acetate butyrate No data available.

bis (2-ethylhexyl) adipate NOEC (Water Flea, 21 d): > 0.77 mg/l

additive(s)/colorant(s)

resorcinol monobenzoate

No data available.

No data available.



Initiator: 0001 / PRD 150000004000

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

cellulos e acetate butvrate No data available.

bis(2-ethylhexyl) adipate EC-50 (Scenedesmus subspicatus, 72 h): > 500 mg/l

additive(s)/colorant(s)

resorcinol monobenzoate

No data available.

No data available.

Persistence and degradability

Biodegradation

Product: No data available.

Specified substance(s)

cellulos e acetate butyrate No data available.

bis (2-ethylhexyl) adipate 90 - 100 % (28 d, Ready Biodegradability: Manometric Respirometry Test) Readily

biodegradable No data available. No data available.

additive(s)/colorant(s)
resorcinol monobenzoate

Biological Oxygen Demand:

Product No data available.

Specified substance(s)

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.
No data available.

Chemical Oxygen Demand:

Product No data available.

Specified substance(s)

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.
No data available.

BOD/COD ratio

Product No data available.

Specified substance(s)

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.
No data available.

Bioaccumulative potential

Product: No data available.

Specified substance(s)

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.
No data available.



> Initiator: 0001 / PRD 15000004000

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

cellulos e acetate butyrate
bis (2-ethylhexyl) adipate
additive(s)/colorant(s)
resorcinol monobenzoate

No data available.
No data available.
No data available.

Results of PBT and vPvB

assessment:

No data available.

cellulose acetate butyrate
bis(2-ethylhexyl) adipate
additive(s)/colorant(s)
No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Waste treatment methods

General information: No data available.

Disposal methods: Dispose of waste and residues in accordance with local authority

requirements. Incinerate.

SECTION 14: Transport information

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

DOT

Class not regulated

IMDG - International Maritime Dangerous Goods Code

Class not regulated

IATA

Class not regulated

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:



SDSUS / EN / TUS01 Version: 3.0 Revision date: 08/28/2014 Initiator: 0001 / PRD

150000004000

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS (Canada) Status: noncontrolled

SARA 311-312 Hazard Classification(s):

fire hazard

US EPCRA (SARA Title III) Section 313 - Toxic Chemical List

NONE

OSHA: hazardous

TSCA (US Toxic Substances Control Act): All components of this product are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

DSL (Canadian Domestic Substances List) and CEPA (Canadian Environmental Protection Act): One or more components of this product are not listed on the DSL.

AICS / NICNAS (Australian Inventory of Chemical Substances and National Industrial Chemicals Notification and Assessment Scheme): One or more components of this product are not listed on AICS.In Australia, its use is restricted to research and development purposes only.

MITI (Japanese Handbook of Existing and New Chemical Substances): All components of this product are listed in the Handbook or have been approved in Japan by new substance notification.

ECL (Korean Toxic Substances Control Act): One or more components of this product are not listed on the Korean inventory.

Philippines Inventory (PICCS): One or more components of this product are not listed on the Philippine inventory.

Inventory of Existing Chemical Substances in China: All components of this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).

SECTION 16: Other information

HMIS® Hazard Ratings: Health - 1, Flammability - 1, Chemical Reactivity - 0

HMIS® rating involves data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this MSDS must be considered.

Revision Information: New SDS

Key literature references and

No data available.

sources for data:

Training information: No data available.

Issue date: 08/28/2014

SDS No.:



Initiator: 0001 / PRD 15000004000

Disclaimer:

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.